

United States Trade Agreements Act (TAA) Compliant Xerox® ConnectKey-enabled Printers and MFPs

Xerox offers a strong and government-focused range of printers and multifunction printers compliant with the US Trade Agreements Act (TAA), a mandatory requirement for today's contract procurements. Additionally, our comprehensive approach to security helps prevent unauthorized intrusions, detect malicious attempts, protect data and documents – including CAC/PIV solutions for both NIPRNet and SIPRNet, and Common Criteria Certification of Xerox® ConnectKey® Technology-enabled VersaLink® and AltaLink® MFPs. Xerox exceeds compliance requirements for the world's most widely recognized certifications for product environmental performance, such as ENERGY STAR® and EPEAT®. Below is a selection of Xerox TAA Compliant products and options available with each of them.

Color Printers



	XEROX® VERSALINK® C400 COLOR PRINTER	XEROX® VERSALINK® C600 COLOR PRINTER	XEROX® VERSALINK® C9000 COLOR PRINTER
TAA Part Number	C400/YDN	C600/YDN	C9000/YDT
Print Speed (ppm) (up to)	36 color/black	55 color/black	55 color/black
Monthly Duty Cycle (up to)	85,000	120,000	270,000
First-Page-Out Time (color)	As fast as 13 seconds	As fast as 8 seconds	As fast as 10.5 seconds
Resolution (max)	600 x 600 x 8 dpi	1200 x 2400 dpi	1200 x 2400 dpi
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3.5 x 3.9 in. to 12.6 x 52 in.
Two-sided Output	Standard	Standard	Standard
CAC/PIV¹	Enabled	Enabled	Enabled
AOM Authorization	Not Required	Not Required	Not Required
Paper Capacity (std/max)	700/1,250	700/3,250	1,140/5,140

Black-and-White Printers



	XEROX® VERSALINK® B400* PRINTER	XEROX® VERSALINK® B610 PRINTER
TAA Part Number	B400/YDN	B610/YDN
Print Speed (up to)	47 ppm	65 ppm
Monthly Duty Cycle (up to)	150,000	300,000
First-Page-Out Time	As fast as 8 seconds	As fast as 7.1 seconds
Resolution (max)	1200 x 1200 dpi (enhanced)	1200 x 1200 dpi
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.
Two-sided Output	Standard	Standard
CAC/PIV¹	Enabled	Enabled
AOM Authorization	Not Required	Not Required
Paper Capacity (std/max)	700/2,350	700/3,250

Color Multifunction Printers



	XEROX® VERSALINK® C405 COLOR MULTIFUNCTION PRINTER	XEROX® VERSALINK® C505 COLOR MULTIFUNCTION PRINTER	XEROX® VERSALINK® C605 COLOR MULTIFUNCTION PRINTER
TAA Part Number	C405/YDN	C505/YS	C605/YXL
Engine Speed (up to)	36 ppm color/36 ppm black	45 ppm color/45 ppm black	55 ppm color/55 ppm black
Monthly Duty Cycle (up to)	85,000	120,000	120,000
Print Resolution (max)	600 x 600 x 8 dpi	1200 x 2400 dpi	1200 x 2400 dpi
Scan Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.
Two-sided Output	Standard	Standard	Standard
Document Feeder Type	50-sheet Single-pass DADF	100-sheet Single-pass DADF	100-sheet Single-pass DADF
CAC/PIV¹	Enabled	Enabled	Enabled
AOM Authorization	Not Required	Not Required	AOM Authorization Required
Paper Capacity (std/max)	700/1,250	700/3,250	700/3,250

Black-and-White Multifunction Printers



	XEROX® VERSALINK® B405 MULTIFUNCTION PRINTER	XEROX® VERSALINK® B605 MULTIFUNCTION PRINTER	XEROX® VERSALINK® B615 MULTIFUNCTION PRINTER
TAA Part Number	B405/YDN	B605/YX	B615/YXL
Engine Speed (up to)	47 ppm	58 ppm	65 ppm
Monthly Duty Cycle (up to)	150,000	300,000	300,000
Print Resolution (max)	1200 x 1200 dpi (enhanced)	1200 x 1200 dpi	1200 x 1200 dpi
Scan Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.
Two-sided Output	Standard	Standard	Standard
Document Feeder Type	60-sheet DADF	100-sheet Single-pass DADF	100-sheet Single-pass DADF
CAC/PIV¹	Enabled	Enabled	Enabled
AOM Authorization	Not Required	Not Required	AOM Authorization Required
Paper Capacity (std/max)	700/2,350	700/3,250	700/3,250

Color Advanced Multifunction Printers



	XEROX® VERSALINK® SERIES			XEROX® ALTALINK® SERIES				
	C7020	C7025	C7030	C8030	C8035	C8045	C8055	C8070
TAA Part Number	C7020/YS	C7025/YS	C7030/YS	C8030/YT	C8035/YT	C8045/YH	C8055/YH	C8070/YH
Engine Speed (up to)	20 ppm color/black	25 ppm color/black	30 ppm color/black	30 ppm color/blk	35 ppm color/blk	45 ppm color/blk	55ppm color/blk	70ppm color/blk
Monthly Duty Cycle (up to)	87,000	107,000	129,000	90,000	110,000	200,000	300,000	300,000
Print Resolution (max)	1200 x 2400 dpi			1200 x 2400 dpi				
Scan Resolution (max)	600 x 600 dpi			600 x 600 dpi				
Media Sizes	3.5 x 3.9 to 11.7 x 17 in.			3.5 x 3.9 to 12.6 x 19 in.				
Two-sided Output	Standard			Standard				
Document Feeder Type	110-sheet DADF			130-sheet single-pass DADF				
CAC/PIV¹	Enabled			Capable				
AOM Authorization	AOM Authorization Required			AOM Authorization Required				
Paper Capacity (std/max)	620, 1,140 or 2,180/5,140			2,180/5,140				



	XEROX® ALTALINK® SERIES				
	C8130	C8135	C8145	C8155	C8170
TAA Part Number	C8130/YT	C8135/YT	C8145/YH	C8155/YH	C8170/YH
Engine Speed (up to)	30 ppm color/black	35 ppm color/black	45 ppm color/black	55 ppm color/black	70 ppm color/black
Monthly Duty Cycle (up to)	90,000	110,000	200,000	300,000	300,000
Print Resolution (max)	1200 x 2400 dpi				
Scan Resolution (max)	600 x 600 dpi				
Media Sizes	5.5 x 7.2 to 12 x 18 in. (Bypass Tray: 3.5 x 3.9 in. to 12.6 x 52 in.)				
Two-sided Output	Standard				
Document Feeder Type	130-sheet single-pass DADF				250-sheet single-pass DADF
CAC/PIV¹	Capable				
AOM Authorization	AOM Authorization Required				
Paper Capacity (std/max)	2,180/5,180		3,140/6,140		

Black-and-White Advanced Multifunction Printers



XEROX® VERSALINK® SERIES			
	B7025	B7030	B7035
TAA Part Number	B7025/YS or YH	B7030/YS or YH	B7035/YS or YH
Engine Speed (up to)	25 ppm	30 ppm	35 ppm
Monthly Duty Cycle (up to)	107,000	129,000	153,000
Print Resolution (max)	1200 x 1200 dpi		
Scan Resolution (max)	600 x 600 dpi		
Media Sizes	3.5 x 3.87 to 11.7 x 17 in.		
Two-sided Output	Standard		
Document Feeder Type	110-sheet DADF		
CAC/PIV¹	Enabled		
AOM Authorization	AOM Authorization Required		
Paper Capacity (std/max)	620, 1,140 or 3,140/5,140		



XEROX® ALTALINK® SERIES			
	B8145	B8155	B8170
TAA Part Number	B8145/YH	B8155/YH	B8170/YH
Engine Speed (up to)	45 ppm	55 ppm	72 ppm
Monthly Duty Cycle (up to)	200,000	250,000	300,000
Print Resolution (max)	1200 x 2400 dpi		
Scan Resolution (max)	600 x 600 dpi		
Media Sizes	5.5 x 7.2 to 12 x 18 in. (Bypass Tray: 3.5 x 3.9 in. to 12.6 x 52 in.)		
Two-sided Output	Standard		
Document Feeder Type	130-sheet single-pass DADF		250-sheet single-pass DADF
CAC/PIV¹	Capable		
AOM Authorization	AOM Authorization Required		
Paper Capacity (std/max)	3,140/6,140		

Call 800-835-6100 for product information

¹ Enabled indicates this feature is standard. Requires activation via Embedded Web Server.
Capable indicates this feature is optional. Requires activation via purchasable Feature Installation Key.